

MODERN POLES







	EKTOR 4000	AKILLE 4000
without door	000.371	000.421
with door	000.372	000.422
with door & box	000.373	000.423



EACH POST IS SUPPLIED WITH THE SUITABLE CAGE FOR FIXATION

EKTOR 2500	
without door	000.361
with door	000.362
with door & box	000.363

EKTOR 3000	AKILLE 3000	
without door	000.364	000.414
with door	000.365	000.415
with door & box	000.366	000.416

EKTOR 3500	AKILLE 3500	
without door	000.367	000.417
with door	000.368	000.418
with door & box	000.369	000.419








EKTOR 6000	
without door	000.384
with door	000.385
with door & box	000.386

	EKTOR 4500	AKILLE 4500
without door	000.374	000.424
with door	000.375	000.425
with door & box	000.376	000.426


	EKTOR 5000	AKILLE 5000
without door	000.377	000.427
with door	000.378	000.428
with door & box	000.379	000.429



WALL BRACKETS/BASE

MIDIPILAR WALL BRACKET


H.254.WAL



suitable for:
GINO 400 - REMO400
VIVI 400 - ECOVIVI 400
GLOBE 400

MIDIPILAR SYSTEM 1L

000.000.A10




Ø60

suitable for:
VIVI 400 - ECOVIVI 400
GLOBE 400

PILAR WALL BRACKET


H.253.WAL



suitable for:
GINO 500 - REMO 500
VIVI 500 - ECOVIVI 500
BEPPE 500 - GLOBE 500

PILAR SYSTEM 1L

000.000.P10



Ø60

suitable for:
VIVI 500 - ECOVIVI 500
GLOBE 500


NEW LOT BASE

Ø60




suitable for:
GINO 400 - REMO400
VIVI 400 - ECOVIVI 400
BEPPE 400 - ECOBEPPE 400
GLOBE 400 - GINO 500
REMO500 - VIVI 500
ECOVIVI 500 - GLOBE 500

H.115



MIDIPILAR SYSTEM 2L

000.000.A20




Ø60

suitable for:
VIVI 400 - ECOVIVI 400
GLOBE 400

MIDIPILAR SYSTEM 3L

000.000.A30




Ø60

suitable for:
VIVI 400 - ECOVIVI 400
GLOBE 400

PILAR SYSTEM 2L

000.000.P20



Ø60

suitable for:
VIVI 500 - ECOVIVI 500
GLOBE 500



Ø 60mm

FULLY MODULAR

The unique 60mm hub allows thousands of different possible combinations to create your perfect outdoor light fitting.